



AL - Mustansiriyah University, Collage of Education
Computer Science Department

1st Class Structured Programming البرمجة المهيكلة

مدرس المادة م. مها علي حسين



تعديل من خلال 1
WPS Office

1.1 What is a Computer?

Computer

A device capable of performing computations and making logical decisions in a very fast manner.

Computer programs

Sets of instructions that control a computer's processing of data

Hardware

Various devices comprising a computer

Examples: keyboard, screen, mouse, disks, memory, CD-ROM, and processing units

Software

Programs that run a computer

1.2 Computer Organization

Input unit

Obtains information from input devices (keyboard, mouse)

Output unit

Outputs information (to screen, to printer, to control other devices)

Memory unit

Rapid access, low capacity, stores input information

Arithmetic and logic unit (ALU)

Performs arithmetic calculations and logic decisions

Central processing unit (CPU)

Supervises and coordinates the other sections of the computer

Secondary storage unit

Cheap, long-term, high-capacity storage, stores inactive programs

1.3 Programming



A digital computer is a useful tool for solving a great variety of problems. A solution to a problem is called an algorithm; it describes the sequence of steps to be performed for the problem to be solved.

An **algorithm** is expressed in abstract terms. To be intelligible to a computer, it needs to be expressed in a language understood by it. The only language really understood by a computer is its own machine language.

Programs expressed in the machine language are said to be executable. A program written in any other language needs to be first translated to the machine language before it can be executed.

1. 3.1 Programming Languages (Machine languages)

- Strings of numbers giving machine specific instructions.
- Computers can only understand this language.

Example:

```
10100011001001  
11111111111111  
00000001110100
```

- Machine dependent: every machine has its own language.
- Hard to be understood by humans.
- Hard to be used in programming.
- Too slow and tedious.

1.3.2 Programming Languages (Assembly languages)

- English-like abbreviations representing elementary computer operations so it is easier to be understood by humans.
- Translated or converted into machine language via assemblers.
- Also, it is slow and hard to be used in programming.
- Machine dependent.

Example:

```
LOAD  BASEPAY  
ADD   OVERPAY  
STORE GROSSPAY
```

2. High-level languages

- Similar to everyday English, use mathematical notations.
- Translated into machine language via compilers (compile the whole program at once)
- Interpreters are used to execute high level languages without need to compile them into machine language and it execute single line at a time.
- Compiled programs are faster than the interpreted ones.
- Fast and easy for programming.
- Machine independent.

Example: Valu1= A+ B

Example of High-level Languages

- C and C++.
- Java
- Visual basic 6/.Net
- C#.Net
- FORTRAN
- COBOL
- Pascal



Lecture 2: Algorithms and Flowcharts

2.1 Algorithm

is a procedure for solving problems. specifies a series of steps that perform a particular computation or task. In order to solve a mathematical or computer problem. An algorithm includes calculations, reasoning and data processing. Algorithms can be presented by natural languages, pseudo code and flowcharts, etc.

Algorithms were originally born as part of mathematics – the word “algorithm” comes from the Arabic writer “Muhammad ibn Mūsā al-Khwārizmī”.

An algorithm :is procedure consisting of a finite set of unambiguous rules (instructions) which specify a finite sequence of operations that provides the solution to a problem(An algorithm is a representation of a solution to a problem)

2.2 Algorithm Properties

1. An algorithm is an unambiguous description that makes clear what has to be implemented.
2. A possible way to solve a given problem
3. A mandatory first step before implementing a solution
4. An algorithm expects a defined set of inputs.
5. An algorithm produces a defined set of outputs.
6. An algorithm is guaranteed to terminate and produce a result, always stopping after a finite time. If an algorithm could potentially run forever, it

wouldn't be very useful because you might never get an answer.

2.3 Creating an Algorithm

To begin with we will look at three methods used in creating an algorithm, these are : **STEPPING, LOOPING, CHOOSING**

2.3.1 STEPPING: This is where all the instructions needed to solve our problem are set out one after the other. Here are some examples:

PROBLEM: To find the sum of two numbers.

ALGORITHM:

1. Start
 2. Input two numbers X,Y
 3. add the two numbers together $Z \leftarrow X+Y$
 4. write down the answer. Z
 5. end
-

PROBLEM: To find the multiply of two number.

ALGORITHM:

1. Start
 2. Input two number $A1,A2$
 3. Multiply the two numbers $R \leftarrow A1*A2$
 4. write down the answer. R
 5. end
-

Example : Write an algorithm and draw a flowchart that will read the two



sides of a rectangle and calculate its area.

Input: Width, Length

Output: Area

Algorithm

Step 1: start

Step 2: Input W, L

Step 3: Area = L x W

Step 4: Print Area

Step 5: end

2.3.2 GOING LOOPING

if we have to repeat an instruction or a set of instructions a number of times to find a solution for specific problem? In this case we can use loops. We will look at four different types of loops:-

- the **REPEAT UNTIL** loop
- the **WHILE** loop
- the **FOR** loop
- **do while** loop

PROBLEM: To print the numbers from 10 to 20

ALGORITHM:

For number = 10 to 20

Print number

End for



2.3.3 CHOOSING [IF, THEN and ELSE]

we will look at a method for making a choice or a decision. This technique is called CHOOSING, and uses the commands IF, THEN and sometimes (but not always) ELSE.

With this type of command a condition is given with the IF command followed by an action to be taken. If the condition is satisfied, we follow it by the THEN command. A couple of examples which should make things a little clearer:-

Example: Write an algorithm to determine a student's final grade and indicate whether it is passing or failing. The final grade is calculated as the average of four marks.

Input: M1, M2, M3, M4

Output: Grade

Algorithm

Step 1: start

Step 2: Input M1,M2,M3,M4

Step 3: GRADE = (M1+M2+M3+M4)/4

Step 4: If (GRADE < 50) then

 Print "FAIL"

 else

 Print "PASS"

 End If

Step 5: end

Example:

Problem: Given a list of positive numbers, return the largest number on the list.

Inputs: A list L of positive numbers. (**This list must contain at least one number.**)

Outputs: A number n, which will be the largest number of the list.



Algorithm:


Step 1: start

Step 2: Set **max** to 0.

step 3: For each number **x** in the list **L**,

step 4 :If **x** is larger than **max**, then

 set **max** to **x**.



End For

Step 6: Print max is now set to the largest number in the list.

Step 7: end

Exercises

Determine and Output Whether Number N is Even or Odd

Algorithm:

Step 1: start

Step 2: Read number N,

Step 3: Set remainder as N modulo 2,

Step 4 : If remainder is equal to 0 then

 number N is even,

 else number N is odd,

 End If


Step 5: end


2.4 FLOWCHART

The flowchart is a diagram which visually presents the flow of data through processing systems. This means by seeing a flow chart one can know the operations performed and the sequence of these operations in a system. Algorithms are nothing but sequence of steps for solving problems. So a flow chart can be used for representing an algorithm.


2.4.1 Flowchart Symbols

The basic symbols commonly used in flowchart drawing in Programs are: Process, input/output, Decision, Connector and Flow Lines, described as follows:


Symbol	Function
	starting or ending of the program
	Indicates any type of internal operation inside the Processor or Memory
	Used for any Input / Output (I/O) operation. Indicates that the computer is to obtain data or output results.
	Used to ask a question that can be answered in a binary format (Yes/No, True/False)
	Used for connection,

	Shows direction of flow.

Example: draw a flowchart to Find the area of a circle of radius r.



Example: Draw a flowchart to find the greater number between two numbers .



Exercises:

1. Draw a Flowchart to calculate the average from 25 exam scores.
2. Draw a Flowchart for printing the even numbers between 9 and 100.
3. Write An Algorithm to find the Factorial of given number N (المفکوك).